

**AUGERS**

|                           |   |
|---------------------------|---|
| Chain Drive Auger         | The chain reduction drive units are designed for medium to heavy-duty applications, and are a very popular alternative to the planetary drive augers. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Auger-Chain.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Auger-Chain.pdf</a>   |
| Planetary Drive Auger     | The gear reduction drive units are designed for heavy-duty use in commercial and industrial applications. This is the ultimate auger attachment for those who demand the best and most durable units. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Auger-Planetary.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Auger-Planetary.pdf</a> |
| Auger Bits – Standard     | Standard auger bits feature a fabricated boring head and double wrapped flighting. The SQ bits feature an industry standard square center point mount for interchangeability and reliability. Bits are available in sizes ranging from 4" (101 mm) to 36" (914 mm), including tree and shrub auger bits, and rock and frost bits.                   |
| Auger Bits – Tree & Shrub | The tree and shrub auger bit is designed with smaller diameter auger flighting at the bottom to leave space for root balls, fertilizer, or mulch.   |
| Auger Bits – Rock         | Rock auger bits have conical (also called "bullet") teeth to cut through the toughest ground, and are available with standard, "fishtail", or conical center points.  |
| Auger Extensions          | Auger extensions come in lengths from 14" (355 mm) to 48" (1219 mm), and are available for round or hex output shafts and bits. Round to hex, hex to round, and 2" round adapters are also available from CE Attachments.   |

**BACKHOES**

|                         |  |
|-------------------------|--|
| Backhoes                | Dig utility trenches, and septic tanks quickly without bringing another large piece of equipment to the jobsite. Five powerful backhoe models offer digging depths from 8'1" to 11'1", and their bucket digging force ranges from 3,670 lbs. to 6,167 lbs. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Backhoe.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Backhoe.pdf</a> |
| Backhoe Buckets         | The right size backhoe bucket will allow your backhoe attachment and skid steer to be even more efficient. Bucket sizes range from 12" (304 mm) to 38" (965 mm), and are available with and without teeth, and in standard and grave digging styles.   |
| Backhoe Mounts          | Mounts are available for most skid steer loaders and will fit EDGE backhoes.   |
| Mini Backhoe            | The Mini Backhoe mounts quickly and easily to most skid steer loaders, and has a digging depth of 5'6" (1676 mm). The three bucket sizes available are: 12" (304 mm), 18" (458 mm), and 24" (609 mm), and no stabilizers are required. <a href="http://www.ceattach.com/isroot/ceaweb/specs/MiniBackhoe.pdf">http://www.ceattach.com/isroot/ceaweb/specs/MiniBackhoe.pdf</a>             |
| Mini Backhoe with Swing | Take all the advantages of the mini-backhoe, and add swing! <a href="http://www.ceattach.com/isroot/ceaweb/specs/MiniBackhoeWithSwing.pdf">http://www.ceattach.com/isroot/ceaweb/specs/MiniBackhoeWithSwing.pdf</a>  |

**BALE MOVERS**

|                    |  |
|--------------------|--|
| Bale Movers        | Farmers and other agricultural professionals can appreciate the increased productivity of a skid-steer with the addition of any bale mover. Whether you're moving round, square, or wrapped bales, you'll find the mover that is right for you.  |
| Bale Mover, Round  | Strong enough to handle bales up to 3,600 lbs. (1632 kg), these bale movers are reinforced with stabilizer shafts to increase strength, and improve safety.  |
| Bale Mover, Square | Available for standard or large rectangular bales, these bale movers can move up to two large square bales with the optional upright kit. Three models are available to move bales from 2,000 to 4,000 lbs. (907 to 1814 kg).  |
| Bale Squeeze       | This attachment is ideal for handling wrapped bales (up to 2,400 lbs., 1088 kg) without puncturing the wrapper. The hydraulic bale squeeze uses its heavy-duty pressure arms to clamp loads from 28" (711 mm) to 80" (2032 mm) wide. <a href="http://www.ceattach.com/isroot/ceaweb/specs/bale_squeeze_590708.PDF">http://www.ceattach.com/isroot/ceaweb/specs/bale_squeeze_590708.PDF</a> |

**BLADES**

|              |   |
|--------------|---|
| Dozer Blades | Scraping and leveling projects are completed quickly and easily. Dozer blades are available in sizes ranging from 72" (1828 mm) to 96" (2438 mm), and feature 30° angling, right or left, and 10° right and left tilt. <a href="http://www.ceattach.com/isroot/ceaweb/specs/DozerBlade.pdf">http://www.ceattach.com/isroot/ceaweb/specs/DozerBlade.pdf</a>                              |
| Snow Blades  | Snow/Utility blades range in size from 60" (1524 mm) to clear sidewalks, to 120" (3048) for clearing jobs as big as a parking lot. Steel cutting edges are standard equipment, and these blades feature right and left angle up to 35°. <a href="http://www.ceattach.com/isroot/ceaweb/specs/SnowUtilityBlade.pdf">http://www.ceattach.com/isroot/ceaweb/specs/SnowUtilityBlade.pdf</a> |
| V-Blades     | The V-Blade increases your skid-steer's productivity by efficiently plowing snow or moving dirt, gravel and sand. The V-Blade comes in sizes ranging from 60" (1524 mm) to 108" (2743 mm), and angles up to 30°. <a href="http://www.ceattach.com/isroot/ceaweb/specs/VBlade.pdf">http://www.ceattach.com/isroot/ceaweb/specs/VBlade.pdf</a>  |

**BREAKERS/HAMMERS**

|                    |  |
|--------------------|--|
| Hydraulic Breakers | Only two moving parts provide enough power to break through the toughest materials. Models available from the 175-lb. impact energy class to the 875-lb. impact energy class.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Breaker.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Breaker.pdf</a> |
|--------------------|--|

**BROOMS**

|               |   |
|---------------|---|
| Angle Brooms  | The angle broom cleans up just about anything, anywhere! This attachment is an excellent tool to assist in light snow or debris removal on sidewalks, parking lots and more.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/AngleBroom.pdf">http://www.ceattach.com/isroot/ceaweb/specs/AngleBroom.pdf</a>   |
| Hopper Brooms | This bi-directional collection broom gives excellent performance in milling, material pickup, road maintenance and job-site cleanup. This is a cost-effective investment for contractors and rental houses.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/HopperBroom.pdf">http://www.ceattach.com/isroot/ceaweb/specs/HopperBroom.pdf</a>  |
| Push Brooms   | Push brooms are an economical way to clean dirt, leaves, light snow, wood chips and other outdoor materials. These are available in universal skid steer mount and fork pocket mount styles. Widths range from 60" (1524 mm) to 96" (2438 mm).<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/push_broom_590702.PDF">http://www.ceattach.com/isroot/ceaweb/specs/push_broom_590702.PDF</a> |

**BRUSH ROOT RAKE – GRAPPLES**

These brush grapples are designed to handle awkward materials such as logs, tree stumps brush or other loose materials. The open bottom allows dirt to fall through.

|                                |  |
|--------------------------------|--|
| Standard Duty                  | These EDGE standard duty brush grapples come standard with universal mount, hoses and couplers.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/BrushRootGrapples.pdf">http://www.ceattach.com/isroot/ceaweb/specs/BrushRootGrapples.pdf</a>   |
| Heavy Duty (HD)                | Overall depth of 17.88", height of 30.88", and grapple width of 56".<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/BrushRootGrapples.pdf">http://www.ceattach.com/isroot/ceaweb/specs/BrushRootGrapples.pdf</a>  |
| Heavy Duty (BTR)               | These full featured brush grapples include hardened pin, cushioned cylinder kit and cylinder/hose guard.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/BrushRootGrapples.pdf">http://www.ceattach.com/isroot/ceaweb/specs/BrushRootGrapples.pdf</a>  |
| Skeleton Rock Bucket w/Grapple | The skeleton tine grapple is designed to scrape with loader arms against the boom stops. Its see-through design allows excellent visibility. Includes hoses and couplers.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/SkeletonGrapple.pdf">http://www.ceattach.com/isroot/ceaweb/specs/SkeletonGrapple.pdf</a> |
| Skeleton Tine Grapple          | Skeleton tine grapples feature bushings at all pivot locations, and a two cylinder independent grapple. Hoses and couplers included.   |

**BUCKETS**

|  |   |
|--|---|
| EDGE Dirt / Construction Bucket        | EDGE dirt buckets have a back height of 20.5" (20.75" for heavy duty dirt buckets) and front to back depth of 37". Often used in heavy digging conditions, or in grading, bolt-on edges and toothbars are common accessories for these buckets. |
| EDGE Bulk Materials Buckets            | These high capacity EDGE Standard duty bulk material buckets feature an overall height of 26.63" and front-to-back depth of 36.75". The heavy-duty versions are 40.5" high (including a 12.25" mesh window for visibility), and depth of 43.5". |
| EDGE Utility - General Purpose Buckets | EDGE Utility buckets feature an overall height of 24", inside depth (front to back) of 34.5" and a 6" x 3/4" weld on cutting edge. An excellent multi purpose bucket!   |
| Other Attachments                      | Non-universal Mount Brackets, Modified Heel Clearance Buckets   |
| Bucket Accessories                     | Bolt on Edge, Bolt on Grapples, Tooth Bars for Buckets WITHOUT a Bolt on Edge, Tooth Bars for Buckets WITH a Bolt on Edge, Bolt on Teeth, Weld on Teeth, Weld on Edges  |

**BUCKETS – SPECIAL APPLICATION**

|                            |  |
|----------------------------|--|
| 4-in-1 Combination Buckets | The multi-tasking 4-in-1 bucket keeps your skid-steer productive and profitable. This bucket can be used in a wide variety of applications, like site clean up, grading, scraping, grappling, dozing dirt, brush removal, material spreading and others.   |
| Grapple Buckets            | Move heavy, hard-to-handle materials on the construction site or anywhere you need to! Grapple buckets are available in widths from 63" to 83". They feature independently operating grapple arms for powerful clamping on uneven loads. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Grapple_Buckets-590632.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Grapple_Buckets-590632.pdf</a> |
| Slab Bucket                | One of CEAttachments' more unique products, the slab lifter bucket works excellent for removing concrete   |

|                            |   |
|----------------------------|---|
|                            | on sidewalks, driveways or any construction site. This specialty bucket is a great addition to keep your skid steer working hard, full time! <a href="http://www.ceattach.com/isroot/ceaweb/specs/SlabLifterBucket.pdf">http://www.ceattach.com/isroot/ceaweb/specs/SlabLifterBucket.pdf</a>  |
| Stone Buckets              | Designed for picking up stones and large, awkward debris, the Stone Bucket is a must have for skid-steer operators in the agricultural, commercial, and landscaping industries. Available in sizes from 60" (1524 mm) to 84" (2133 mm). <a href="http://www.ceattach.com/isroot/ceaweb/specs/skeleton_rock_bucket_590737.pdf">http://www.ceattach.com/isroot/ceaweb/specs/skeleton_rock_bucket_590737.pdf</a> |
| Utility Forks              | Designed to handle bulk materials, such as straw, manure, sod and silage, this versatile tool is a great addition to any attachment lineup. This attachment is available in widths from 54" (1371 mm) to 78" (1981 mm). <a href="http://www.ceattach.com/isroot/ceaweb/specs/Utility_Fork-590654.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Utility_Fork-590654.pdf</a>                                 |
| Utility Forks with Grapple | Designed to handle bulk materials, such as straw, manure, sod and silage, this versatile tool is a great addition to any attachment lineup. This attachment is available in widths from 54" (1371 mm) to 78" (1981 mm). <a href="http://www.ceattach.com/isroot/ceaweb/specs/Utility_Fork-590654.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Utility_Fork-590654.pdf</a>                                 |

**COLD PLANERS**

|                       |  |
|-----------------------|--|
| Cold Planer           | An invaluable tool for road construction and maintenance crews. Asphalt and concrete are quickly milled due to the high torque generated by the planetary gearbox. <a href="http://www.ceattach.com/isroot/ceaweb/specs/ColdPlaner.pdf">http://www.ceattach.com/isroot/ceaweb/specs/ColdPlaner.pdf</a> |
| XD Series Cold Planer | Xtreme Duty for Xtreme conditions! XD Cold Planers come in widths up to 40"! <a href="http://www.ceattach.com/isroot/ceaweb/specs/ColdPlaner.pdf">http://www.ceattach.com/isroot/ceaweb/specs/ColdPlaner.pdf</a>   |

**CONCRETE TOOLS**

|                         |  |
|-------------------------|--|
| Auger Mixing Bucket     | The universal skid steer mounting on front and back allows right and left discharge. This attachment has the ability to self-load from large piles. Handles materials including 1" (25.4 mm) slump concrete, sand, up to ¾" (19 mm) washed gravel, and more. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Auger_Mix_bucket_590684.PDF">http://www.ceattach.com/isroot/ceaweb/specs/Auger_Mix_bucket_590684.PDF</a> |
| Cement Mixer            | The cement mixer's welded steel drum and internal paddles offer uniform mixing and clean dumping. Greasable bronze Oilite bearings provide long bearing. <a href="http://www.ceattach.com/isroot/ceaweb/specs/CementMixer.pdf">http://www.ceattach.com/isroot/ceaweb/specs/CementMixer.pdf</a>   |
| Concrete Placing Bucket | This skid steer attachment is designed to accurately, quickly, and neatly carry and place concrete in small areas. The Concrete Placement Bucket is ideal for pouring backyard patios, footings, or into formed columns or walls. <a href="http://www.ceattach.com/isroot/ceaweb/specs/ConcretePlacingBucket.pdf">http://www.ceattach.com/isroot/ceaweb/specs/ConcretePlacingBucket.pdf</a>                                |

**FORESTRY TOOLS**

|                         |   |
|-------------------------|---|
| Log Grapple             | This is an excellent attachment for handling logs, pipes, brush and other bulky materials. Opens up to 43" (1092 mm) and closes to as small as 6" (152 mm). |
| Log Splitter            | <a href="http://www.ceattach.com/isroot/ceaweb/specs/log_splitter_590696.pdf">http://www.ceattach.com/isroot/ceaweb/specs/log_splitter_590696.pdf</a>       |
| Log Grapple Pallet Fork | This grapple features a unique jaw action that pulls material toward the frame as the jaw closes.   |

**GRABBING TOOLS**

|  |  |
|--|--|
| Grabbing Tool                            | The EDGE Grabbing Tool is an ideal attachment in a variety of applications.  |
| Grader Blade                             | The Grader Blade attachment can turn your skid steer into a high performance grading machine. <a href="http://www.ceattach.com/isroot/ceaweb/specs/GraderAndLaser.pdf">http://www.ceattach.com/isroot/ceaweb/specs/GraderAndLaser.pdf</a>  |
| Skid Steer Hitch                         | If you move items around a lot on a regular basis - the EDGE hitch attachment is for you! See also Skid Steer Hitch System, Ball Hitch w/Drawbar, Goose Neck Hitch Option.   |
| Industrial Tine Grapple                  | Excellent for moving heavier, hard to handle materials such as logs, brush, and scrap materials. See also Medium Duty Industrial Tine Grapple, Heavy Duty Industrial Tine Grapple. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Industrial_Tine_Grapple-590685.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Industrial_Tine_Grapple-590685.pdf</a>   |
| Land Clearing Attachment                 | High flow hydraulics are required as this unit will need approximately 30-40 gallons per minute (113-151 liters per minute) to operate. It utilizes standard cold planer teeth for added durability and to reduce the cost of tooth replacement. <a href="http://www.ceattach.com/isroot/ceaweb/specs/LandClearingAttachment.pdf">http://www.ceattach.com/isroot/ceaweb/specs/LandClearingAttachment.pdf</a> |
| Land Leveler - With or Without Scarifier | Designed to sift dirt and remove large chunks and rocks, this landscaping preparation attachment is just what is needed to smooth out lots, roads and trails or prepare running tracks and ball fields. <a href="http://www.ceattach.com/isroot/ceaweb/specs/LandLeveler.pdf">http://www.ceattach.com/isroot/ceaweb/specs/LandLeveler.pdf</a>  |
| Landscape Seeder                         | EDGE Landscape Seeders place seed at exactly the right depth, and spacing for better germination than placing seed with a broadcast spreader/seeder. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Seeder.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Seeder.pdf</a>   |
| Log Splitter                             | <a href="http://www.ceattach.com/isroot/ceaweb/specs/log_splitter_590696.pdf">http://www.ceattach.com/isroot/ceaweb/specs/log_splitter_590696.pdf</a>  |

|                               |  |
|-------------------------------|--|
| Material Unroller             | Attach this unique product to your skid steer loader and save man hours, while improving safety and efficiency. Roll out materials for ground cover and road construction. Save over manual labor and other methods of installing erosion control materials.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/material_unroller.pdf">http://www.ceattach.com/isroot/ceaweb/specs/material_unroller.pdf</a>  |
| Metal Shears                  | Ideal for ferrous and non-ferrous scrap applications, the metal shears will handle H and I beams, plate, rebar, pipe, round stock, wire, tires and concrete. Featuring 4-way indexable blades, and replaceable wear parts. Available with either 360° hydraulic continuous rotation, or manual rotation<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/MetalShear.pdf">http://www.ceattach.com/isroot/ceaweb/specs/MetalShear.pdf</a>                   |
| Onboard Scale                 | The onboard scale measures, displays and records the weight of a load on or in a bucket, combination bucket grapple or pallet fork. It measures the hydraulic pressure in the lift arm circuit as the load is lifted past a sensor.  |
| Pallet Forks – Rail Style     | Rail style fork frames have a notched bar across the back of where the forks hook on and slide back and forth. Tine lengths are available from 36" (914 mm) to 72" (1828 mm), and 48" (1219 mm) block forks are also available. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Pallet_Fork-590645.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Pallet_Fork-590645.pdf</a>  |
| Pallet Forks – Shaft Style    | Fork tines are slid easily back and forth along the 2" round shaft holding the tines on. The Brick guard is optional on the shaft style pallet fork. Tine lengths available are 36" (914 mm), 42" (1066 mm), or 46" (1168 mm). <a href="http://www.ceattach.com/isroot/ceaweb/specs/Pallet_Fork-590645.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Pallet_Fork-590645.pdf</a>   |
| Pallet Forks - Hydraulic      | Universal mount. 42" Pallet Fork w/ Hyd. Tine Shift, Nursery Pallet Fork w/ 48" Tines, Side Shift Pallet Fork - 48" Tines, Side Shift Pallet Fork w/ 42" Tines, Rotating Pallet Fork-180 Deg w/ 48"  |
| Post Driver                   | Essential for landscapers, groundskeepers, and rental centers, the post driver can drive posts as wide as 10" (254 mm) into the ground. The hydraulic post driver produces a driving action to eliminate air pockets in the soil and provide an immediate air-tight post set. Self-contained hydraulics for easy hook up.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/PostDriver.pdf">http://www.ceattach.com/isroot/ceaweb/specs/PostDriver.pdf</a> |
| Quick Attach – Adapters       | Whether it's an old attachment on a new skid steer, or vice versa, you can put all of your attachments to work! You can even use some of your three-point hitch tractor attachments on your skid steer.  |
| Quick Attach – Hydraulic      | Change attachments without leaving the operator's seat! The hydraulic quick attach adapter is fast, safe, and easy to use. It works off standard auxiliary hydraulics, and requires a hydraulic adapter when using it with powered attachments. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Hydraulic_QA-590707.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Hydraulic_QA-590707.pdf</a>  |
| Quick Attach – Weld On Mounts | <a href="#">Weld-on Mount - Mustang 1-Pin</a> , <a href="#">Weld-on Attach Plate - Gehl 37/3825</a> , <a href="#">Weld-on Attach Plate - Gehl 3310</a> , <a href="#">HD Weld-on Universal Mount</a> , <a href="#">Weld-on Mount - John Deere 675</a> , <a href="#">Thomas Weld on Mnt. 173-243</a> , <a href="#">Weld-on Mount - Kubota R520</a> , <a href="#">Weld-on Mount Plate - Mustang 920</a> , <a href="#">QA Bracket - JD 520-541 Loader</a>            |
| Rakes – Power Rake            | The new EDGE Power Rake's dual motor direct drive drum delivers up to 40% more power than chain reduction units. It is ideal for preparing soil from rough grade to seed-ready soil in minutes instead of hours. <a href="http://www.ceattach.com/isroot/ceaweb/specs/PowerRake.pdf">http://www.ceattach.com/isroot/ceaweb/specs/PowerRake.pdf</a>   |
| Rakes – Auto Rake             | Groom and finish soil and remove rocks up to 6" (152 mm) in diameter with an Auto Rake. This attachment will place rocks and debris in its bucket for dumping at a chosen location later. It is available in 66" (1676 mm) or 76" (1930 mm) widths. <a href="http://www.ceattach.com/isroot/ceaweb/specs/AutoRake.pdf">http://www.ceattach.com/isroot/ceaweb/specs/AutoRake.pdf</a>  |
| Rakes – Preparator®           | Built to handle the toughest ground conditions, the Preparator can collect rocks up to 20" in diameter, and till compacted soil into a perfect seedbed. (Preparator® is a registered trademark of Sweepster, LLC.)<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Preparator.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Preparator.pdf</a>  |
| Rakes – Grader Rake           | The Grader Rake is an economical way to scarify, smooth, and level hard packed soil. It separates debris from dirt and soil, so it works great for jobsite cleanup. (82", 92")   |
| Rakes – Power Box Rake®       | Power Box Rake is a registered trademark of Glenmac, Inc. This rake will pulverize soil and prepare a smooth seed-ready finish.  |
| Rock Wheels                   | An efficient and precise attachment that makes road cuts as well as it make utility cuts. The rock wheel cuts widths of 2.5" to 4.5" and depths of up to 24"<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/RockWheel.pdf">http://www.ceattach.com/isroot/ceaweb/specs/RockWheel.pdf</a>  |
| Rotary Brush Mower            | Glides over rough terrain easily, the EDGE Rotary Brush Mower delivers the performance to handle demanding jobs like heavy weeds, undergrowth, brush and small saplings up to 3" (76 mm) in diameter.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Rotary_Brush_Mower-590689.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Rotary_Brush_Mower-590689.pdf</a>   |
| Roto Tillers                  | This is an ideal attachment for breaking up clumps and mixing compost or other materials into existing soil. Perfect for seedbed preparation or other landscape functions. Widths up to 68"<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/RotoTiller.pdf">http://www.ceattach.com/isroot/ceaweb/specs/RotoTiller.pdf</a>   |
| Sand Bagger                   | The design of this unique attachment allows an operator to fill twelve 14" x 26" burlap or poly bags at the same time! Simply attach the bags, scoop the sand, tilt the bucket back to fill the bags, and drop them. All that is left to do is tie the bags! <a href="http://www.ceattach.com/isroot/ceaweb/specs/AutoBagger.pdf">http://www.ceattach.com/isroot/ceaweb/specs/AutoBagger.pdf</a>   |
| Scarifiers – Eliminator® Rake | The Eliminator rake has the ability to go from an unfinished to a finished seed bed with one easy to use attachment. Loosen hard soil, remove scrub and small vegetation, and prepare soil with a perfect grade.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/eliminator_590690.PDF">http://www.ceattach.com/isroot/ceaweb/specs/eliminator_590690.PDF</a>  |

|  |   |
|--|---|
| Scrapers – Feed/Alley                    | The alley scraper has a heavy duty rubber edge that will hydraulically angle up to 20° right or left. <a href="http://www.ceattach.com/isroot/ceaweb/specs/scrapers_590723.PDF">http://www.ceattach.com/isroot/ceaweb/specs/scrapers_590723.PDF</a>   |
| Scrapers –Heavy Duty Rubber              | Available with or without backdrag, these tire scrapers are an economical attachment for much needed applications. <a href="http://www.ceattach.com/isroot/ceaweb/specs/scrapers_590723.PDF">http://www.ceattach.com/isroot/ceaweb/specs/scrapers_590723.PDF</a>  |
| Side Discharge Buckets – Sand or Sawdust | Two types of side discharge buckets are available for sand or sawdust. These are a must have for farming applications, but they are also ideal for placing mulch or other materials where needed in landscaping applications!<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Sand_Side_Shooter-590722.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Sand_Side_Shooter-590722.pdf</a><br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Sawdust_Side_Shooter-590724.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Sawdust_Side_Shooter-590724.pdf</a> |
| Silage Mill                              | The Bunker Buster reaches up to 70" (1778 mm) beyond the reach of the skid steer. The motor is mounted inside the frame to protect it from debris and contaminants. The drum is 78" (1981 mm) wide and features 39 easy to replace carbide tipped teeth. <a href="http://www.ceattach.com/isroot/ceaweb/specs/bunker_buster_590658.PDF">http://www.ceattach.com/isroot/ceaweb/specs/bunker_buster_590658.PDF</a>  |
| Silt Fence Installer                     | The silt fence installer shown here is mounted to a compact utility tractor; however the attachment is available for a skid steer loader and a compact utility tractor!<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/SiltFenceInstaller.pdf">http://www.ceattach.com/isroot/ceaweb/specs/SiltFenceInstaller.pdf</a>  |
| Snow Blower                              | With the Snow Blower attachment, you can remove snow from sidewalks, driveways or any area your skid steer loader will fit. Snow blowers are available for standard or high-flow hydraulics. <a href="http://www.ceattach.com/isroot/ceaweb/specs/SnowBlower.pdf">http://www.ceattach.com/isroot/ceaweb/specs/SnowBlower.pdf</a>  |
| Snow Push                                | The snow push attachment obviously works well in the snow, but it also works great for wastewater, manure, and other materials. Optional pull back kits give an operator the ability to draw materials back from confined areas such as loading docks. <a href="http://www.ceattach.com/isroot/ceaweb/specs/Snow%20Push%20-%20590659.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Snow%20Push%20-%20590659.pdf</a>  |
| Sod Unroller                             | An economical option for unrolling fiber or plastic cored rolls of sod. The strong tubular frame handles rolls up to 48" wide, and the simple design requires no hydraulics. <a href="http://www.ceattach.com/isroot/ceaweb/specs/sod_unroller_590744.pdf">http://www.ceattach.com/isroot/ceaweb/specs/sod_unroller_590744.pdf</a>  |
| Spreader                                 | The electronically powered spreader is designed to handle most dry, free flowing granular materials, including salt, seed and fertilizer. Ideal for parking lots, driveways and roads.  |
| Stump Grinder                            | Carbide steel teeth and easy to use controls help you to quickly disintegrate stumps into wood chips. Standard flow and high-flow models available to handle stumps up to 45" (1143 mm) in diameter, and up to 12" (304 mm) below ground. <a href="http://www.ceattach.com/isroot/ceaweb/specs/StumpGrinder.pdf">http://www.ceattach.com/isroot/ceaweb/specs/StumpGrinder.pdf</a>   |
| Tilt Attach                              | Tilts up to 18 degrees in either direction. Tilt buckets and landscaping attachments for more precise grading and leveling. Tilt trenchers for vertical cuts even on hills. Simple electric connections keep valve and hoses out of the operator's cabin. <a href="http://www.ceattach.com/isroot/ceaweb/specs/tilt_attach_590694.PDF">http://www.ceattach.com/isroot/ceaweb/specs/tilt_attach_590694.PDF</a>   |

**TRACKS, GROUSER**

|                           |  |
|---------------------------|--|
| Ladder Style, Cross Bar   | Cross Bar tracks feature induction hardened crossbars and traction bars for extended wear. These tracks improve traction in soft, muddy conditions, and will also protect your tires from wear in abrasive conditions. <a href="http://www.ceattach.com/isroot/ceaweb/specs/specs.pdf">http://www.ceattach.com/isroot/ceaweb/specs/specs.pdf</a> |
| Pad Style, Hard Shoe      | Hard shoe tracks have a replaceable traction metal insert. The design provides for self cleaning between pads. These tracks provide great floatation and traction in sandy conditions. <a href="http://www.ceattach.com/isroot/ceaweb/specs/specs.pdf">http://www.ceattach.com/isroot/ceaweb/specs/specs.pdf</a>                                 |
| Soft Pad Style, Soft Shoe | Soft shoe tracks feature large soft surfaces for use on sensitive and/or hard surfaces to reduce damage. These tracks can reduce ground pressure by as much as 50%. <a href="http://www.ceattach.com/isroot/ceaweb/specs/specs.pdf">http://www.ceattach.com/isroot/ceaweb/specs/specs.pdf</a>  |
| Accessories               | Wheel Spacer Kits, Cast Track pads, Cast Pads  |

**TRACKS, LOEGERING**

|                         |  |
|-------------------------|--|
| Ladder Style, Z Track   | The Z-Track from Loegering provides additional traction where you need it most. These tracks are available for skid steers with tire widths from 8.5" to 14" - call us if you don't see the track you need here! |
| Pad Style, Trailblazers | With their added floatation, these tracks are excellent for operation in sandy conditions. Available for skid steers with tire widths from 8.5" to 14" -call us if you don't see the tracks you need here.       |
| Accessories             | Wheel spacers, installation tools and replacement track pads.  |

**TREE TOOLS**

|                  |  |
|------------------|--|
| Tree Handler     | Upgrade from using forks and you'll never go back! Use the tree handling attachment to load and unload trees, transport and plant nursery stock, or move and place boulders.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Tree_Handler-590655.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Tree_Handler-590655.pdf</a>                    |
| Hi-Reach Clipper | The High Reach Clipper will cut hardwoods up to 8" (203 mm) in diameter. Its long reach, and 180° cutting head rotation means you'll be able to easily get at the area to be cut.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/HighReachClipper.pdf">http://www.ceattach.com/isroot/ceaweb/specs/HighReachClipper.pdf</a>                     |
| Tree Shears      | Ideal for clearing fence lines and other hard to reach areas, the EDGE tree shear is an ideal attachment for forestry and agriculture applications.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/tree_shear_590688.pdf">http://www.ceattach.com/isroot/ceaweb/specs/tree_shear_590688.pdf</a>   |
| Transplanters    | Perfect for landscapers and nursery owners, the Tree Transplanter allows you to take advantage of the power of your skid steer and transplant mature trees with up to 36" root balls.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Tree_Transplanter-590699.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Tree_Transplanter-590699.pdf</a> |
| Spades           | Completely transplant trees and shrubbery with the tree spade. Move and place trees, shrubbery, and boulders and dig holes for new trees, all with the same attachment.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Tree_Spade-590678.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Tree_Spade-590678.pdf</a>                             |
| Boom             | The Tree boom is ideal for moving trees for transplanting. A simple and economical attachment to make your equipment more versatile.   |

**TRENCHERS**

|             |  |
|-------------|--|
| Model HT7   | The HT7 is an economical and very solid basic trencher. This unit adds versatility to smaller skid steers in the 800-1,000 lb (363-454 kg) class.<br><a href="http://www.ceattach.com/isroot/ceaweb/specs/Trencher-590651.pdf">http://www.ceattach.com/isroot/ceaweb/specs/Trencher-590651.pdf</a> |
| Model XR14  | Operates with recommended flows between 10-20 gpm (38-75 lpm). Available in digging depths from 36" (914 mm) to 48" (1219 mm).   |
| Model XR21  | Recommended hydraulic flows are between 13-25 gpm (49-94 lpm). Digging depths up to 60" (1524 mm), and widths from 6" to 12" (152-304 mm).   |
| Model XR25  | Designed for high flow skid steer loaders, the X-35 trencher requires 20-40 gpm (75-151 lpm) hydraulic flow. Digging depths up to 60" (1524 mm) and widths to 12" (305 mm). This is the best trencher for severe trenching conditions.   |
| Model XR35  | Designed for high flow skid steer loaders, the X-35 trencher requires 20-40 gpm (75-151 lpm) hydraulic flow. Digging depths up to 60" (1524 mm) and widths to 12" (305 mm). This is the best trencher for severe trenching conditions.   |
| Accessories | Replacement trencher teeth, mounts, and chains.  |

**TRENCHER FILLERS**

|               |   |
|---------------|---|
| Trench Filler | The trench filler is a necessary tool for large backfilling jobs. Covering 60' (18.3 meters) of ditching in 60 seconds is now possible with the trench filler. It eliminates tearing of the turf because the skid steer can straddle the trench and cover it in one pass. <a href="http://www.ceattach.com/isroot/ceaweb/specs/TrenchFiller.pdf">http://www.ceattach.com/isroot/ceaweb/specs/TrenchFiller.pdf</a> |
|---------------|---|